

TOWN HALL PHONE NUMBERS  
(Area Code 207)

Town Manager's Office 363-1000  
Code Enforcement Office 363-1002  
Treasurer's Office 363-1004  
Assessor's Department 363-1005  
Fax Number 363-1009



Selectmen's Office 363-1000  
Town Clerk/Tax Collector 363-1003  
Finance Department 363-1004  
Planning Department 363-1007  
Public Works Office 363-1010

**TOWN OF YORK**

P.O. Box 9  
York, Maine 03909-0009

Map \_\_\_\_\_  
Lot \_\_\_\_\_

**ADDITIONAL**  
**EROSION AND SEDIMENT CONTROL MEASURES**



**STABILIZED CONSTRUCTION ENTRANCE**

Required

**SPECIFICATIONS**

1. **Aggregate Size:** Use 2" stone, or reclaimed or recycled concrete equivalent.
2. **Aggregate thickness:** Not less than six (6) inches.
3. **Width:** 10 ft. minimum, but not less than the full width of points where ingress or egress occurs.
4. **Length:** As required, but not less than 50 ft. (except on a single residence lot where a 30 ft. minimum would apply).
5. **Geotextile:** To be placed over the entire area to be covered with aggregate. Filter cloth will not be required on a single family residence lot. Piping of surface water under entrance shall be provided as required. If piping is impossible, a mountable berm with 5:1 slopes will be permitted.
6. **Criteria for Geotextile:** The filter cloth shall be woven or non-woven fabric consisting only of continuous chain polymeric filaments or yards of polyester. The fabric shall be inert to commonly encountered chemicals, hydro-carbons, mildew, rot resistant, and conform to the fabric properties as shown:

**Stabilized Construction Entrance Details  
(USDA Soil Conservation Service)**



\_\_\_\_\_  
Applicant Signature

\_\_\_\_\_  
Date